



# N-central

## RELEASE NOTES

Version 2020.1 HF7 Build: 2020.1.7.533

Last Updated: Thursday, April 15, 2021




# Upgrade paths and notes

To upgrade to 2020.1 HF7, your N-able N-central server must be running one of the following versions:

- N-able N-central 12.2.1.90 – 500
- N-able N-central 12.3.0.241 – 850
- N-able N-central 2020.1.0.202
- N-able N-central 2020.1.1.273
- N-able N-central 2020.1.2.326
- N-able N-central 2020.1.3.381
- N-able N-central 2020.1.4.402
- N-able N-central 2020.1.5.411+
- N-able N-central 2020.1.6.470

Note the following when upgrading N-able N-central.

 Scheduled Tasks may expire if the agent on an associated device is being upgraded when the task is scheduled to be completed. Agent upgrades are normally short in duration but may be delayed if a restart of the device is pending.



# Fixed Issues in N-able N-central

## Release 2020.1 HF7

Category	Description	Bug
Core	When a Custom Property Is Changed, All Rules Associated To A Device Are Reapplied, Instead Of Only The Rules Associated To The Custom Property	NCCF-13712
Core	Custom Protocol Handler Log Files Show The One-Time Credentials Used for RDP Remote Control Sessions	NCCF-14026
Core	Server Stability Affected By Indefinitely Activated Threads	NCCF-14466
Core	Unexpected Growth Of The "/var/log/n-central/monitor" Directory Impacts Server Stability and Performance	NCCF-14541
Core	Significant UI delays when performing standard tasks	NCCF-14718
Core	The Custom Protocol Handler Doesn't Properly Handle An Invalid "Application To Run" Value	NCCF-14752
Core	The Registration Token Permission Isn't Properly Applied To The customerList And customerListChildren APIs	NCCF-14752
Core	When The Agent Falls Back To Performing An MSI Upgrade, It Fails Because The Registration Token Isn't Available	NCCF-15128
Core	CVE-2021-3156 sudo: Heap buffer overflow	NCCF-15384
Core	The Windows Agent Crashes Due To An Unhandled Exception In The Take Control Interface Code	NCCF-15399
Core	The Windows Agent Crashes If It's Config Files Are Removed	NCCF-15710
Endpoint Detection and Response	EDR Device Isn't Showing Up In The EDR (Integrated) Web UI	KUIP-1474
Endpoint Detection and Response	EDR Monitoring on macOS Devices Incorrectly Tries To Monitor The Nonexistent "EDR" Process	KUIP-2042
Endpoint Detection and Response	The License Usage Report Shows 0 EDR Licenses Available	KUIP-2305
Endpoint Detection and Response	Configuring EDR To Be Deployed Through Rules Doesn't Successfully Deploy EDR To Devices	KUIP-2530
Endpoint Detection and Response	N-central Fails To Migrate A Standalone EDR Install To EDR (Integrated)	KUIP-2698
Endpoint Detection and Response	An EDR License Is Still Consumed By Devices That Have Had EDR Disabled	KUIP-2795
Endpoint Detection and Response	The Analyze Tab And "Edit Policy" Pages Within EDR Fail To Load	KUIP-2908
Monitoring	The "Veeam Job Monitor" And "Veeam Sure Job Monitor" Services Don't Work With Veeam 11	AM-2609
Patch Manager	Patch Approvals Created By Auto-Approval Are Not Synchronized To The Agent	NCPM-4577



## Release 2020.1 HF6

Category	Description	Bug
Core	The Re-signed Versions Of The Automation Manager Designer and Teamviewer Launcher Are Not Installed On Upgrade	NCCF-15102
Core	Digital Certificate Error When Launching Java-Controlled Remote Control Methods	NCCF-15101
Core	Windows Probes Fail To Upgrade Due To A Corrupt Version of probeAssetImageMap.txt	NCCF-15011
Core	Upgrade Struts To Address CVE-2020-17530	NCCF-14931
Core	Reactivations Of N-central Fail Due To Changes To The NableAdmin E-mail Address	NCCF-14899
Core	Selecting Specific Users In The "Domain User Management" Screen, Before The Page Fully Loads, Causes All Users To Be Selected	NCCF-14579
Core	NTPdate Error Causes The System Time Of N-central To Be Set To Thu, Feb 7 2036	NCCF-14526
Core	N-central UI Was Inaccessible Due To Performance Issues With JobStatusList.java	NCCF-14486
Core	Logic Flaw In The Agent's Config Backup Process Can Result In Agents Losing Their Configuration Settings	NCCF-14075
Core	The UI Login Workflow Doesn't Enforce A Maximum Number Of MFA Code Entries	NCCF-13897
MSP Backup	Information Disclosure Vulnerability In A URL	NCCF-15123
Patch Manager	System Error When Running The 'Missing Patches (Summary)' Report	NCPM-4619

## Release 2020.1 HF5

This hotfix updates the digital certificate used by the Windows Agent and Windows Probe.

## Release 2020.1 HF4

Category	Description	Bug
Core	Unexpected Growth Of N-central Backups Leads To "ERROR: The N-central Backup file creation failed." E-mails	NCCF-14648
Core	Some Recurring PowerShell/VBS/Batch Scheduled Tasks Created Before Upgrading to 2020.1 HF3 Start Failing After N-central is Upgraded to 2020.1 HF3	NCCF-14743

## Release 2020.1 HF3

Category	Description	Bug
Core	XMPP Module Causes A Memory Leak In The Linux Agent	NCCF-13456
Core	Legacy Security Profile was not Restored with N-central Backup Restore	NCCF-13599
Core	Scheduled Tasks Aren't Reliably Running At The Scheduled Time	NCCF-



Category	Description	Bug
		13714
Core	Audit Trail Shows Incorrect "End Time" Values For Take Control Sessions	NCCF-14048
Core	The "Create Ticket" Button Is Missing from the Overview -> Active Issues Widget	NCCF-14123
Core	Contract ID is temporarily removed for Devices already exported to MSP Manager	NCCF-14235
Core	Choosing "Save and Propagate" For A Custom Organization Property Doesn't Trigger Rule Re-application	NCCF-14321
Core	Performance Issues When Using Custom Properties Together With Rules	NCCF-14334
Core	Hotfix Releases of N-central 2020.x Don't Pull Up the Online Help for 2020.x GA	NCCF-14452
Core	N-central Restore not showing backup names when selecting from Local System	NCCF-14483
Core	SysAudit processing error on Advanced Reporting Usage	NCCF-14506
Core	Add the help doc key for the Network Security page	NCCF-14527
Core	ApplianceRegistrationToken validity does not respect DST	NCCF-14542
Endpoint Detection and Response	All Devices/Active Issues View: The Integration Column Does Not Stay Hidden	KUIP-1729
Endpoint Detection and Response	EDR Status service started getting 201 Failure error.	KUIP-2199
Monitoring	Windows Service Monitoring Causes WMI To Crash	BEAT-1817
Monitoring	Error-Level Entries Seen in the Windows Event Log for the "N-able ShadowProtect Monitoring Service"	NCCF-13729
Remote Control	Launching JNLP-based Remote Control From A macOS Device Prematurely Times Out	NCCF-13193
Remote Control	System Error When Propagating Remote Control Defaults to Existing Sites	NCCF-14070
Remote Control	Launching Multiple RDP Remote Control Sessions From the Same Device Sometimes Conflict	NCCF-14296
Remote Control	N-central Stops Accepting SSH Tunnel Requests After 50 R/C Sessions	NCCF-14472
Remote Control	RDP SSH Tunnel creation fails	NCCF-14475



Category	Description	Bug
Remote Control	RDP client (mstsc.exe) and CPH launcher do not work over HTTPS channel	NCCF-14477
Remote Control	"Data Encryption" Error Displayed When RDP Remote Control Falls Back From SSH To HTTPS	NCCF-14517
Security Manager	Improved error handling for Disk Encryption Manager	IAV-1261

## Release 2020.1 HF2

Category	Description	Bug
Automation Manager	AMP-based Custom Services Fail To Submit Data When The Output Parameter Includes "EndTime" In Its Name	BEAT-1737
Core	Logging in to N-central over HTTP hangs when loading deployJava.js	NCCF-14395
Core	The "License Usage" Report Incorrectly Counts Devices Twice For "Remote Control on Essentials" Licenses	NCCF-14229
Core	The Remote Control Icon Is Unavailable To Users That Only Have Access To Take Control	NCCF-14066
Core	The "Detailed Status" Report Incorrectly Shows A Service As Disconnected Instead Of Failed	NCCF-13956
Core	RDP Remote Control: Fallback to HTTPS Tunneling Doesn't Occur When The Target Device Blocks Outbound Port 22 (SSH) Traffic	NCCF-13859
Core	LSI Physical Drives Aren't Discovered by the Windows Probe When Scanning a VMware ESXi Server	BEAT-1075
Endpoint Detection and Response	Add A "Reboot Required Details" Metric To The EDR Status Services	KUIP-1886
Monitoring	"Scan Now" Isn't Working For Agent-Monitored Services	BEAT-1733
Security	<b>CVE 2020-15909</b> Session ID anomaly detection has been added, binding the session ID to the client IP address and user agent. This is configurable in N-central, with both protections defaulting to "On". Partners should review the settings under <b>Administration &gt; Mail and Network Settings &gt; Network Security</b> on upgrade and adjust as needed. Please see <a href="#">this KB Article</a> for additional details.	NCCF-13912

## Release 2020.1 HF1

Category	Description	Bug
Core	Remote Control SSH Port-forwarding Allows Access to Internal Backend Services	NCCF-14021



Category	Description	Bug
Core	Agent & Probe Settings won't load without Registration Tokens permission	NCCF-13951
Core	Corrected a bug impacting server recovery	NCCF-13876
Core	Upgrading N-central Fails If the Azure Agent Had Been Manually Installed	NCCF-13816
Core	Failing To Connect To The Cache Of One Windows Probe Doesn't Cause The Windows Agent To Try Connecting To Other Windows Probes In The Environment	NCCF-13697
Core	XMPP Module Causes A Memory Leak In The Linux Agent	NCCF-13456
Core	Virtual Machines Aren't Displayed Under the "Asset -> Hyper-V Guests" Tab	NCCF-12339
Security	Addresses an Apache Struts vulnerability (CVE-2019-0233) and a Boot Hole GRUB2 vulnerability (CVE-2020-10713)	NCCF-14062
		NCCF-14068

## Release 2020.1

Category	Description	Bug
Core	RDP Remote Control Times Out Too Quickly	NCCF-13949
Core	RDP Remote Control Doesn't Properly Parse the "Application To Run" Field When it Contains Forward-Slashes	NCCF-13825
Core	Exclude checking primary IP against excluded IP for device match	NCCF-13692
Core	The Datastore (VMware) Service Is Misconfigured, and Reports "201 No data could be retrieved"	NCCF-13658
Core	Error Thrown When Sorting the Recent Tickets Widget by the "Assigned Users" Column	NCCF-13585
Core	The "Settings > Local Agent > Capture Logs" Feature Fails to Retrieve the Agent's Logs	NCCF-13584
Core	Resolve PSA notifications are not being received	NCCF-13523
Core	PSA: Lack of device class mappings can lead to export of unrelated devices	NCCF-13459
Core	Dgrid Memory Leak on the Active Issues View	NCCF-13438
Core	Request assistance button no longer linking to startcontrol	NCCF-



Category	Description	Bug
		13420
Core	Submit Queue is held up waiting on notification processing	NCCF-13410
Core	Changing the Font in Custom Branding Throws an "An error was generated when trying to apply custom style" Error Message	NCCF-12739
Core	The Synchronize Button Under "Administration -> Mail and Network Settings -> Network Setup" Is No Longer Needed	NCCF-12179
Core	Inconsistency of error messages in 'Name' fields	NCCF-11694
Core	Discovery Jobs Don't Allow VMware Credentials That Include an Underscore Character	BEAT-1425
Core	Agent Proxy Credentials Not Correctly Transferred To Take Control	NCCF-13512
Core	Erroneous NCSAI Failure in System Health Report when Using the "Regenerate Report" Button	NCCF-13315
Core	The Windows Agent Fails to Log to VeritasModule.log	NCCF-13216
Core	Tools -> Command Prompt Drops Letters During Copy/Paste	NCCF-13097
Core	Possible Denial Of Service Attack Vector in the Password Reset Screen	NCCF-13040
Core	Workstation-Linux Devices Consume a Server License Instead Of A Workstation License	NCCF-13019
Core	Viewing the License Usage Report in Firefox Shows "ONaN-undefined" in the Details Table	NCCF-12949
Core	Agents Ability to Download Their Config From N-central Is Blocked by a Slow PME Thread	NCCF-12946
Core	PSA (Autotask) - In-Product Description of the "Acknowledge Notifications and Suppress All Escalation" Option Is Missing	NCCF-12933
Core	Tools -> Applications Doesn't List Applications When They Have A "ReleaseType" Value In The Registry	NCCF-12901
Core	The Job Status Page Shows The Scheduled Time In The Wrong Timezone	NCCF-12891
Core	The {{ConfigurationParameters}} Notification Variable Can Display Passwords In Plain Text	NCCF-12842
Core	API times out when not limiting results from Active issues list	NCCF-12818
Core	System Error When Transferring Tasks Between Probes	NCCF-12805





Category	Description	Bug
Core	Agent installer crashes when handling duplicate asset tag error during registration	NCCF-12757
Core	Unrelated Juniper Switches Are Being Flagged As The Same Device	NCCF-12696
Core	Rebooting a Device Clears the Logged in User Column	NCCF-12668
Core	The Device-level Operating System Drop-Down Does Not Contain "Microsoft Windows Storage Server 2012 R2 Standard" and "Microsoft Windows Storage Server 2012 R2 Standard x64"	NCCF-12667
Core	Default SNMP Settings Aren't Applied To Devices If They Are Imported as Essentials Nodes	NCCF-12650
Core	Manually Installing An Agent Can Cause Service Templates To Add More Than The Configured "maxinstances" Of A Service	NCCF-12647
Core	PSA Integration (ConnectWise) - Customer Mapping Page Is Blank Due to Filter Timeouts	NCCF-12643
Core	Automation Manager Policies Are Being Executed More Than Once	NCCF-12542
Core	System Error When A User With Access to "Customer1" Tries to Access a Device That's Been Moved from "Customer2" to "Customer1"	NCCF-12487
Core	System Error When Running The Windows Event Log Report	NCCF-12466
Core	Rules Icon Shows "SO Level" For Customer-level Rules	NCCF-12450
Core	The GUI Installer for the macOS Agent Isn't Usable Dark Mode	NCCF-12400
Core	Sorting Discovery Jobs by the Last Reported column is Alphabetical rather than Date	NCCF-12229
Core	Notification Profiles Triggered Within 4 Seconds Of Midnight Will Not Generate A Notification	NCCF-12227
Core	Notifications Incorrectly Generated While A Server Is Rebooting During a Maintenance Window	NCCF-12195
Core	Stock filter MSP Backup Devices is configured as custom expression but should be generic	NCCF-11906
Core	Disabling Services from the Active Issues View Logs All Affected Services, for all Selected Devices, in the Device-level Audit Trail	NCCF-11833
Core	Users With Partial Customer Access Are Unable to Run An AVD Scan When Accessing the AV Defender Status Service From The SO Level	NCCF-11795
Core	"Remote Control Defaults" Property Locks Apply To All Device Classes, Not Just The Selected Device Class	NCCF-11756
Core	Some API calls return data when 2FA is enabled	NCCF-



Category	Description	Bug
		11754
Core	Device Not Found When Running Multiple Simultaneous Discovery Jobs Against the Same IP Address	NCCF-11721
Core	XMPP intermittently failing or getting 0% sessions	NCCF-11368
Core	The Agent/Probe Overview Report Doesn't Show Details About Why An Agent Upgrade Failed	NCCF-11156
Core	PSA (Autotask) - Inefficient Fetching of Parent Contracts	NCCF-8528
Core	AMP-based Scheduled Tasks Don't Handle Date-type Custom Properties as Input Parameters	BEAT-1182
Core	HP/Dell/IBM Server Filters Don't Include Linux Devices	BEAT-1118
Core	VMware ESXI Server Serial Number for NEC Server is Not Being Populated	BEAT-1059
Automation Manager	Using a Password-type CDP With an AMP Results in a "The supplied parameters don't match this amp file. The start parameters are not formatted correctly" Error Message	BEAT-1591
Automation Manager	Newly-Created AMPs Unable To Be Opened In Older Versions of Automation Manager	AM-2437
MSP Backup	MSP Backup Dashboard Failing To Update When the "MaintMSPBackupCloudSync" Script Fails	NSBM-3683
Patch Manager	PME unable to communicate to RPC server over 127.0.0.1	NCPM-4387
Patch Manager	Automatic patch approvals broken after deleting a customer	NCPM-4324
Patch Manager	Missing Patches report "summary" and "details" inconsistency	NCPM-4272
Patch Manager	Some patch approvals may not take effect	NCPM-4202
Patch Manager	Agent utilizing high CPU due to superseded updates	NCPM-4146
Patch Manager	Patch Status V2 not noting 'last' maintenance windows	NCPM-4122
Monitoring	Upgrade to 2020.1.0.55 Failed Due to Data Type Updates in the Veeam Job Status Service	BEAT-1616
Monitoring	Unable to switch "Enable Field Editing": to "ON" in Custom SNMP Service	BEAT-1497
Monitoring	Remove "WMI" from the Name of the "Active Directory 2012 - DRA (WMI)" Service	BEAT-1154



---

Category	Description	Bug
NetPath	The NetPath Service Isn't Returning to Normal Once The Underlying Issue Has Been Resolved	BEAT-1331
Topology	Topology job specific credentials are lost if the job is changed	BEAT-1139
Topology	IndexOutOfRangeException exception in topology Enrichment service.	BEAT-1041



## Known Limitations

These items for the current version of the N-able N-central software is composed of material issues significantly impacting performance whose cause has been replicated by N-able and where a fix has not yet been released. The list is not exclusive and does not contain items that are under investigation. Any known limitations set forth herein may not impact every customer environment. The N-able N-central software is being provided as it operates today. Any potential modifications, including a specific bug fix or any potential delivery of the same, are not considered part of the current N-able N-central software and are not guaranteed.

### Active Issues

Description	Bug
When exporting a large list of Active Issues items to PDF format at either the System or Service Organization level, the server may fail. Exporting to CSV format does not cause this problem.	62860

### Agents & Probes

Description	Bug
Communication issues may be encountered for N-able N-central Probes installed on Windows servers that have multiple NICs. For more information, refer to " <i>KBA20020: Configuring A Server With Multiple NICs</i> " in the online Help.	67778

### Automation Manager

Description	Bug
Running Automation Manager Policies created using Automation Manager 1.6 or earlier may result in <code>Failed to create an EndDate . . .</code> errors if the Policies are run on a computer using a different date format. This issue does not affect Policies created using Automation Manager 1.7 or later.	65712

### AV Defender and Backup Manager – D2D

Description	Bug
Custom Settings option no longer available in 10 for backup profiles.	NSBM-709
The <b>About Backup Manager</b> dialog box no longer indicates if the Backup Manager software is licensed.	68226

### Custom Services

Description	Bug
Custom services may appear as misconfigured when the system locale of the device is not set to English. For example, in Portuguese the default decimal in <code>c#/l.net</code> is not a period, ".", it is a comma, ",". If you are having this issue, please contact SolarWinds N-able Technical Support.	65288



## Dashboards

Description	Bug
Modifying a Dashboard that is associated with a large number of services may cause performance issues when using the Firefox browser.	70326

## Core Functionality

Description	Bug
<p><b>Installing N-able N-central on Servers that have an Nvidia Video Card</b></p> <p>Due to a bug in CentOS 7 with Nvidia's "Nouveau" driver, installing N-able N-central on servers that have an Nvidia video card may result in the N-able N-central console showing a black/blank screen, or displaying an Anaconda Installer screen with an error message about the video card driver.</p>	NCCF-11842
HDM doesn't not work with the "Last 5 Tickets" widget.	NCCF-10855
Warranty information might be inaccurate when determining the warranty expiry dates of devices that are not located in the USA.	NCCF-3649
URL with embedded username and password prompts for Java upgrade, logging in manually does not prompt.	NCCF-2415
<p>Chrome 42.x does not support NPAPI plugins which means that Java and Direct Connect will not function with that browser version. When attempting to open remote control connections in Chrome 42.x, users will be repeatedly prompted to install either Java or the NTRglobal plugin with no successful connections made.</p> <p>To resolve this issue, perform the following:</p> <ol style="list-style-type: none"> <li>1. In the Chrome address bar, type <code>chrome://flags/</code>.</li> <li>2. Under <b>Enable NPAPI</b>, click Enable.</li> <li>3. Restart Chrome.</li> </ol>	73359

## PSA Integration

Description	Bug
In some instances, tickets closed in PSAs are not being cleared in N-able N-central. This is likely because the ticketing recipient profile in N-able N-central has <b>Do not change the Ticket Status</b> selected (in order to manually configure tickets). Then, when the ticket is removed in the PSA, N-able N-central will not be able to update/resolve the ticket's status and new tickets cannot be created for the same issue. Until a solution is available through the UI for this situation, the work around is to set a Return to Normal status and set a non-used status in the 'updatable statuses' section or set the same status as the return to normal one. This will cause N-able N-central to add a note to the ticket on return to normal but will not alter the ticket's status. This will allow the stale ticket check to remove the ticket from the system.	65620

## UI

Description	Bug
After re-naming, the <b>Names</b> of files or Registry entries may not be displayed properly in the <b>File System</b> window and the <b>Registry</b>	68149



---

Description	Bug
window of the <b>Tools</b> tab when using Internet Explorer.	



# End of support

The following are being deprecated in a future release of N-able N-central:

Internet Explorer 11	Due to declining usage in the field, a future release of N-able N-central will drop support for the Internet Explorer 11 web browser.
Agents	As of next major release for those of you still utilizing the AV5 Bitdefender Antivirus be advised that monitoring from our AV5 agents will no longer continue. As a result this will leave your environments in a vulnerable state. We encourage you to review your agents to ensure you are now utilizing our latest AV6 agents. Reminder that our <a href="#">online help for Security Manager</a> is available on the NRC.



# N-able N-central System Requirements

The following requirements are for typical usage patterns, acknowledging that some patterns may require greater system resources for a N-able N-central server than others.

If you have any questions about how your needs affect the system requirements of your N-able N-central server, contact your Channel Sales Specialist or email [n-able-salesgroup@solarwinds.com](mailto:n-able-salesgroup@solarwinds.com).

<b>Processor</b>	Server class x86_64 CPUs manufactured by Intel or AMD (i.e. Xeon or EPYC). Please refer to the <a href="#">Red Hat Hardware Ecosystem</a> for further details.
<b>Operating System</b>	You do not need to install a separate Operating System to run N-able N-central. The N-able N-central ISO includes a modified version of CentOS 7, based on the upstream Red Hat Enterprise Linux 7.
<b>Physical Hardware</b>	<p>The physical server used to install SolarWinds N-central in a bare metal environment must be certified to run Red Hat Enterprise Linux 7.7 (x64) by Red Hat, or the hardware vendor, without any additional drivers. Please check the <a href="#">Red Hat Hardware Ecosystem</a> for details.</p> <p>Server Grade hard drives connected to a RAID controller with a Battery/Capacitor Backed Cache are Required. Examples include 10K+ RPM SCSI or SAS drives, Enterprise Grade SSDs or NVMe for bare metal and virtualized hosts, or a Fibre Channel connected SAN with Enterprise Grade hard drives for virtualized hosts (<i>Fibre Channel cards can be used for bare metal if they are configured in the pre-boot environment and do NOT require vendor-provided drivers</i>).</p> <p>Although Desktop Hard Drives will work with the Operating System, they do not meet the minimum throughput required for the back-end Database of N-able N-central.</p>

For more details, please refer to the [Red Hat Hardware Ecosystem](#) to see if your current hardware will work with our customized version of CentOS 7.

## System requirements by number of devices managed

The table below lists the minimum specifications required to manage the number of devices indicated (based on average usage). Performance can be improved by exceeding these requirements. When determining your hardware requirements, consider any growth in managed device count that may occur over time.

Number of Devices	CPU Cores	Memory	Storage
Up to 1,000	2	4 GB RAM	80 GB RAID
Up to 3,000	4	8 GB RAM	150 GB RAID
Up to 6,000	8	16 GB RAM	300 GB RAID
Up to 9,000	12	24 GB RAM	450 GB RAID
Up to 12,000	16	32 GB RAM	600 GB RAID





Number of Devices	CPU Cores	Memory	Storage
Up to 16,000	22	48 GB RAM	800 GB RAID
Up to 20,000	28	64 GB RAM	1 TB RAID
Up to 24,000	34	80 GB RAM	1.2 TB RAID

## Notes

1. Server Grade hard drives connected to a RAID controller with a Battery/Capacitor Backed Cache, are **required** to ensure performance and unexpected power-loss data protection.
2. In a virtualized environment, hard drives for the N-able N-central server must not be shared with any other applications or VM guests that have significant I/O workloads. For example, Report Manager, SQL Databases, E-Mail Servers, Active Directory Domain Controllers, SharePoint, or similar should not be installed on the same physical hard drive as N-able N-central.
3. N-able recommends two or more hard drives be placed in a redundant RAID configuration. With two drives, RAID 1 must be used. With more than two drives, RAID 1+0 or RAID 5 are recommended. RAID 6 is an option on servers with less than 1,000 devices (the additional write latency of RAID 6 becomes an issue above 1,000 devices).
4. N-able recommends more, smaller disks in a RAID array, as opposed to fewer larger disks. Database-backed applications, like N-able N-central, have better write performance with an increased number of parallel writes (hard drives).
5. If using Solid State Drives (SSDs), N-able requires Enterprise Grade, SLC based (or better) SSDs with a SAS interface, or Enterprise Grade NVMeS. SSD and NVMe drives must have an endurance rating of at least 0.2 DWPD (Drive Writes Per Day), and at least 2 physical disks in a redundant RAID array. On Bare Metal servers, the RAID array must appear to the operating system as a single Block or NVMe Device. Currently, many PCIe and NVMe drives do not meet this last requirement and would only work in a virtualized environment.
6. Configure the RAID controller to use the default stripe size and a Read/Write cache of 50%/50%.

The underlying customized version of CentOS 7 has certain hardware limits that are consistent with the upstream Red Hat Enterprise Linux 7 distribution. Of note are the following:

Subsystem	Limit
Minimum disk space	80GB
Maximum physical disk size (BIOS)	2TB
Maximum physical disk size (UEFI)	50TB
Required minimum memory	4GB for 4 or fewer logical CPUs
	1GB per logical CPU for more than 4 logical CPUs
Maximum memory	12TB
Maximum logical CPUs	768

## Examples of supported servers

Due to the ecosystem of different hardware, N-able does not certify specific hardware configurations. Instead we rely on the upstream Red Hat Enterprise Linux and hardware vendor testing and certification.

Examples of servers that have been Red Hat certified include [HPE ProLiant DL360 Gen10](#) and [Dell PowerEdge R620](#).



---

Please consult with your hardware vendor to ensure that any server to be used for a bare metal installation meets the above requirements, and is Red Hat Enterprise Linux 7.7 certified, without the need for additional drivers.

N-able recommends that for any Bare Metal server, two or more SAS 10k or faster hard drives be placed in a RAID array to improve redundancy. RAID 1+0 or RAID 5 are supported (at the hardware RAID BIOS level). RAID 6 is an option on servers with less than 1,000 devices (the additional write latency of RAID 6 becomes an issue above 1,000 devices).

## Support for virtualized environments

N-able supports VMware ESX Server 6.0 or newer and Windows Server 2012 R2 Hyper-V or newer LTS versions. N-able recommends use of the latest stable versions of VMware or Hyper-V in order to ensure the best performance, feature set and compatibility with N-able N-central.

### Hyper-V on Windows Desktop Operating Systems not Supported.

N-able N-central installed on a virtual machine running on a Desktop Operating System (such as Hyper-V on Windows 10, Virtual Box, Parallels, VMWare Fusion or similar) is not a supported configuration. If you are using Windows Hyper-V, it must be installed on a supported server class Windows Operating System.

### Windows Server Semi-Annual Releases are not Supported.

Only Long-Term Support (LTS) versions of the Windows Server Operating System are supported as a Hyper-V host for N-able N-central. Microsoft currently releases "Semi-Annual Release" versions of Windows Server as a technology preview for the next LTS version. Due to their technology preview status, these "Semi-Annual Release" versions of Windows Server are not supported as Hyper-V hosts for N-able N-central.


## About virtualization

Virtualization provides an abstraction layer between the hardware and the Operating System which permits the operation of multiple logical systems on one physical server unit. The table below includes considerations when using this deployment method.

<b>System Performance</b>	<p>It is impossible to guarantee the scalability or performance of a N-able N-central server deployed on a Virtual Machine due to:</p> <ul style="list-style-type: none"> <li>■ variability in field environments resulting from host server configurations,</li> <li>■ the number of virtual guests run on the host server, and</li> <li>■ the performance of the underlying host hardware.</li> </ul>
<b>Supportability</b>	<p>N-able supports N-able N-central software deployed on VMWare ESX/ESXi 6.0 or newer, Windows Server 2012 R2 Hyper-V or newer LTS releases, Microsoft Azure and Amazon AWS EC2 in the same way that we support N-able N-central deployed on Bare Metal. This support is limited to the components (Software and Operating System) shipped with N-able N-central and does not include the troubleshooting of virtualization systems nor of performance issues related to environmental factors.</p> <p>N-able recommends reaching out to your hardware or virtualization vendor for support on the underlying virtualization and hardware components. Any assistance provided by N-able Support for virtualization or hardware issues is on a best-effort basis only. In the event of serious performance problems, we might ask you to migrate a virtualized N-able N-central system to a physical hardware deployment.</p>
<b>Virtual Hardware Support</b>	<p>In Windows Server 2016 Hyper-V or newer deployments, it is recommended to create a new Generation 2 VM. When configuring the VM virtual hardware, if you choose to enable <b>Secure Boot</b>, please select the <b>Microsoft UEFI Certificate Authority</b> template.</p>

	For VMWare ESX/ESXi deployments, it is recommended to select the <b>Red Hat Enterprise Linux 7</b> guest OS template, then under the <b>Boot Options</b> , select the <b>UEFI Firmware</b> .
<b>Network Adapters</b>	N-able recommends using the VMXNET3 network card in VMWare. When the VM is configured as Red Hat Enterprise Linux 7, it will use VMXNET3 by default.  Unless you are using Network Interface Bonding, N-able N-central requires only one (1) network adapter added to the VM configuration. Multiple network adapters that are not used in a bonding configuration can cause connectivity and licensing issues.
<b>MAC Addresses</b>	By default, most virtualization environments use a dynamically assigned MAC address for each virtual network card. As your N-able N-central license is generated in part by using the MAC address of its network card, it is required to use a statically assigned MAC address in order to avoid becoming de-licensed.

## Recommended configuration for the virtualized server

 Although provisioning virtual disks as "thin" or "thick" results in nearly-identical performance, thick provisioning is recommended, particularly when more than 1,000 devices will be connected to your N-able N-central server.

- Assign the highest resource access priority to N-able N-central, as compared to other guest VMs.
- Do not over-provision resources (Memory, CPU, Disk) on the virtualization host. Over-provisioning these resources can causes memory swapping to disk, and other bottlenecks that can impact guest system performance.
- Ensure that the system has enough RAM and hard drive space to provide permanently allocated resources to the N-able N-central guest.

## Supported Software

### Browsers

N-able N-central supports the latest versions of:

- Internet Explorer®
- Microsoft Edge®
- Mozilla Firefox®
- Desktop versions Google Chrome®. Mobile phone browsers are not supported.

N-able N-central is not supported on Internet Explorer in Compatibility View mode.

### Remote Control

Remote control connections require the following software on the computers that initiate connections:

- Oracle Java 1.8 versions that include Java Web Start

### Report Manager

To use Report Manager with N-able N-central, ensure the you upgrade to the latest version of Report Manager.



## Automation Manager

Automation Manager requires .NET Framework 4.5.2 and PowerShell 3.0 to run AMP-based services with N-able N-central.

## SNMP Community String

On HPE ProLiant Generation 9 or older Physical Servers, when monitoring the N-able N-central server using SNMP, the community string used for SNMP queries to the server must use `N-central_SNMP`, not `public`. SNMP is only enabled on HPE ProLiant Generation 9 or older Physical Servers. All other installs do not enable SNMP on the N-able N-central server.

## Supported Operating Systems

This section describes the supported operating systems for N-able N-central.

### Windows Agents:

- Microsoft .NET Framework 4.5.2 (or later)

### Windows Server 2019

- Windows Server 2019 Datacenter
- Windows Server 2019 Standard

### Windows Server 2016

- Windows Server 2016 Datacenter
- Windows Server 2016 Standard
- Windows Server 2016 Essentials
- Windows Storage Server 2016
- Windows Server 2016 MultiPoint Premium Server
- Microsoft Hyper-V Server 2016

### Windows Server 2012

- R2 Datacenter
- R2 Essentials
- R2 Foundation
- R2 Standard
- Datacenter 64-bit Edition
- Essentials 64-bit Edition
- Foundation 64-bit Edition
- Standard 64-bit Edition
- Microsoft Hyper-V Server 2012
- Microsoft Hyper-V Server 2012 R2
- Storage Server 2012 Enterprise 64-bit Edition
- Storage Server 2012 Express 64-bit Edition
- Storage Server 2012 Standard 64-bit Edition
- Storage Server 2012 Workgroup 64-bit Edition

## Windows 10

- Microsoft Windows 10 Enterprise & Professional
- Microsoft Windows 10 Education editions
- Windows 10 Pro for Workstations

## Windows 8 and 8.1

- 8.1 Enterprise
- 8.1 Professional
- 8 Enterprise
- 8 Professional

## Windows 7

- Microsoft Windows 7 Enterprise & Professional
- Microsoft Windows 7 Ultimate

## Mac Agents

- 10.15 (Catalina)
- 10.14 (Mojave)
- 10.13 (High Sierra)
- 10.12 (Sierra)

## Linux Agents

Independent Agents are required for 32-bit and 64-bit Linux OS installations.

💡 The probe performs an SSH connection a Linux device. To discover a Ubuntu/Debian OS device, the device must have openssh installed.

- Red Hat Enterprise Linux/CentOS 7 (x86\_64 and i686)
- Red Hat Enterprise Linux/CentOS 6 (x86\_64 and i686)
- Ubuntu 18.04 "Bionic Beaver" (x86\_64)
- Ubuntu 16.04 "Xenial Xerus" (x86\_64 and i686)
- Debian 8.7/Ubuntu 14.04 "Trusty Tahr" (x86\_64 and i686)

## AV Defender

### Workstation Operating Systems

- Microsoft Windows Vista SP1
- Microsoft Windows 7 SP1
- Microsoft Windows 8, 8.1
- Microsoft Windows 10

### Tablet And Embedded Operating Systems

- Windows Embedded Standard 2009
- Windows Embedded POSReady 2009
- Windows Embedded Enterprise 7
- Windows Embedded POSReady 7
- Windows Embedded Standard 7

## Server Operating Systems

- Microsoft Windows 2008
- Microsoft Windows 2008 Server
- Microsoft Windows 2008 R2
- Microsoft Windows Small Business Server 2011
- Microsoft Windows Home Server 2011
- Microsoft Windows 2012 Server
- Microsoft Windows 2012 Server R2
- Microsoft Windows 2016 Server
- Microsoft Windows 2019 Server

💡 For Microsoft Windows Embedded Standard 7, TCP/IP, Filter Manager, and Windows Installer must all be enabled.

## Patch Manager

### Workstation Operating Systems

- Microsoft Windows 7
- Microsoft Windows 8
- Microsoft Windows 8.1
- Microsoft Windows 10 version 1607 and later

### Server Operating Systems

- Microsoft Windows Server 2008 R2 SP1
- Microsoft Windows Server 2012
- Microsoft Windows Server 2012 R2
- Microsoft Windows Server 2016
- Microsoft Windows Server 2019

The following operating systems are not supported with N-able N-central patch manager:

- Microsoft Windows XP
- Microsoft Windows Vista
- Microsoft Windows 10 Home Edition
- Microsoft Windows Server 2003
- Microsoft Windows Server 2008

## Windows Update Agent

The minimum version of the Windows Update Agent (WUA) needs to be greater than 7.6.7600.320. The base NT build version of Windows should be 6.1 or later. Older versions of the base NT build cannot upgrade past version 7.6.7600.256 of the Windows Update Agent.

## Automation Manager

### Workstation Operating Systems

- Microsoft Windows 7 (32/64-bit)
- Microsoft Windows 8 (32/64-bit)

- Microsoft Windows 8.1 (32/64-bit)
- Microsoft Windows 10 (32/64-bit)

## Server Operating Systems

- Microsoft Windows Server 2019
- Microsoft Windows Server 2016 (32/64-bit)
- Microsoft Windows Server 2012 R2 (32/64-bit)
- Microsoft Windows Server 2012 (32/64-bit)
- Microsoft Windows Server 2008 R2 (32/64-bit)
- Microsoft Windows Server 2008 (32/64-bit)

## Disk Encryption Manager

Hyper-V Server 2012 R2	Hyper-V Server 2016
Windows 7 Enterprise	Windows 7 Home Premium
Windows 7 Professional	Windows 7 Ultimate
Windows 8 Enterprise	Windows 8 Pro
Windows 8 Pro with Media Center	Windows 8.1 Enterprise
Windows 8.1 Pro	Windows 8.1 Pro with Media Center
Windows 10 Education	Windows 10 Enterprise
Windows 10 Enterprise 2015 LTSC	Windows 10 Enterprise 2016 LTSC
Windows 10 Enterprise for Virtual Desktops	Windows 10 Enterprise LTSC 2019
Windows 10 Pro	Windows 10 Pro Education
Windows 10 Pro for Workstations	
Windows Server 2008 R2 Enterprise	Windows Server 2008 R2 Datacenter
Windows Server 2008 R2 Standard	Windows Server 2008 R2 Foundation
Windows Server 2012 Datacenter	Windows Server 2012 Essentials
Windows Server 2012 Foundation	Windows Server 2012 R2 Datacenter
Windows Server 2012 R2 Essentials	Windows Server 2012 R2 Foundation
Windows Server 2012 R2 Standard	Windows Server 2012 R2 Standard Evaluation
Windows Server 2012 Standard	
Windows Server 2016 Datacenter	Windows Server 2016 Datacenter Evaluation





Windows Server 2016 Essentials	Windows Server 2016 Standard
Windows Server 2016 Standard Evaluation	
Windows Server 2019 Datacenter	Windows Server 2019 Essentials
Windows Server 2019 Standard	Windows Server 2019 Standard Evaluation
Windows Server Datacenter	
Windows Small Business Server 2011 Essentials	Windows Small Business Server 2011 Standard

# Supported operating systems for remote control

The availability of remote control connections will vary depending on the operating systems of both the client and target devices. The table below outlines the operating systems and their compatibility with various remote control types.

Remote Control Type	Windows		Linux		Mac OS X	
	Remote System	Technician	Remote System	Technician	Remote System	Technician
Custom	✓	✓	✓	✓	✓	✓
Take Control	✓	✓	✗	✗	✓	✓
Remote Desktop	✓	✓	✗	✓	✗	✗ <sup>1</sup>
SSH	✓	✓	✓	✓	✓	✓
TeamViewer	✓	✓	✗	✗	✓	✓
Telnet	✓	✓	✓	✓	✓	✓
Web	✓	✓	✓	✓	✓	✓

1. Requires a remote third-party desktop viewer compatible with Mac.



# Licensing and Customer Support

## Agent/Probe Installation Software

N-able N-central 2020.1 HF7 uses the 7-Zip file archiver for installing agents and probes. 7-Zip is free software redistributed under the terms of the GNU Lesser General Public License as published by the Free Software Foundation. For more information, see <http://www.7-zip.org>.

## Customer Support

Contact N-able to activate your N-able N-central server.

<b>Web Page:</b>	<a href="http://www.solarwindsmsp.com">http://www.solarwindsmsp.com</a>
<b>Technical Support Self-Service Portal:</b>	<a href="https://support.solarwindsmsp.com/kb/">https://support.solarwindsmsp.com/kb/</a>
<b>Phone:</b>	Toll Free (U.S./CAN): 1-866-302-4689
	International: +800-6225-3000
	Local: (613) 592-6676, select option 2 for support



© 2021 N-able Solutions ULC and N-able Technologies Ltd. All rights reserved.

This document may not be reproduced by any means nor modified, decompiled, disassembled, published or distributed, in whole or in part, or translated to any electronic medium or other means without the prior written consent of N-able. All right, title, and interest in and to the software, services, and documentation are and shall remain the exclusive property of N-able, its affiliates, and/or its respective licensors.

N-ABLE DISCLAIMS ALL WARRANTIES, CONDITIONS, OR OTHER TERMS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, ON THE DOCUMENTATION, INCLUDING WITHOUT LIMITATION NONINFRINGEMENT, ACCURACY, COMPLETENESS, OR USEFULNESS OF ANY INFORMATION CONTAINED HEREIN. IN NO EVENT SHALL N-ABLE, ITS SUPPLIERS, NOR ITS LICENSORS BE LIABLE FOR ANY DAMAGES, WHETHER ARISING IN TORT, CONTRACT OR ANY OTHER LEGAL THEORY, EVEN IF N-ABLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The N-ABLE, N-CENTRAL, and other N-able trademarks and logos are the exclusive property of N-able Solutions ULC and N-able Technologies Ltd. and may be common law marks, are registered, or are pending registration with the U.S. Patent and Trademark Office and with other countries. All other trademarks mentioned herein are used for identification purposes only and are trademarks (and may be registered trademarks) of their respective companies.

### **About N-able**

N-able empowers managed services providers (MSPs) to help small and medium enterprises navigate the digital evolution. With a flexible technology platform and powerful integrations, we make it easy for MSPs to monitor, manage, and protect their end customer systems, data, and networks. Our growing portfolio of security, automation, and backup and recovery solutions is built for IT services management professionals. N-able simplifies complex ecosystems and enables customers to solve their most pressing challenges. We provide extensive, proactive support—through enriching partner programs, hands-on training, and growth resources—to help MSPs deliver exceptional value and achieve success at scale. For more information, visit [www.n-able.com](http://www.n-able.com).